



ILLUMIVUE™ BY MSTR

8MP IP Bullet Camera with NightLight

IP8B-NL

SKU: 174218    UPC: 81993201295

Introducing the Illumivue IP8B-NL 8MP IP Bullet Camera with NightLight, a state-of-the-art surveillance solution that combines exceptional image quality, advanced features, and enhanced night vision capabilities to provide superior security for your premises. With its cutting-edge technology and robust design, this camera sets a new standard in surveillance systems.

This 8MP IP8B-NL camera captures incredibly clear and detailed images, ensuring that every critical aspect is recorded with precision. Whether you're monitoring a large area or focusing on specific points of interest, this camera delivers outstanding visual clarity, providing you with crystal-clear footage.

This camera boasts NightLight technology, which features two bright LED lights and extra-large aperture that greatly improves the camera image in near-dark situations while deterring criminals. This innovative feature ensures that you capture detailed and accurate images even in complete darkness, providing you with 24/7 surveillance coverage.

The IP8B-NL is built to withstand various environmental conditions. Its durable construction and IP67 weatherproof rating make it suitable for both indoor and outdoor installations, providing reliable surveillance coverage even in challenging weather conditions.

The Illumivue IP8B-NL 8MP IP Bullet Camera with NightLight is a powerful and reliable security solution. Its exceptional image resolution, innovative NightLight technology, robust bullet design, and intelligent alerts make it the perfect choice for those seeking advanced surveillance capabilities.

#### Features

- 8MP IP Bullet Camera
- 2.8mm @ F2.0 Lens
- 112.4° Horizontal field of view
- NightLight - LED lights give a boost in low light scenarios that helps enhance image quality
- 0.003 Lux - Extra Low Light
- 120DB True WDR - Wide Dynamic Range for scenes with high-contrast lighting
- 98ft (30m) IR LED Range
- Advanced Analytics - Supports line cross, intrusion, enter area, leave area, face detection, face capture, motion, tampering & audio detection
- Corridor Mode - helps to effectively reduce invalid monitoring regions and shows more details
- Active Defender - can warn intruders with flashing white light strobe lights and audible sound.
- Strobe Alarm Light
- Onvif Support (Profile S, Profile G, Profile T)
- Pre-Recorded Audio Messages
- Up to 256 G Micro SD card
- Cloud Software Updates
- 835ft PoE Connection Range
- Onvif Support (Profile S, Profile G, Profile T)
- IP67 protection (Indoor/Outdoor)
- NDAA-Compliant





# Download the Illumivue App

Access, Set-up, and Manage Illumivue surveillance products through your network via iOS, Android or Windows.



Camera					
Sensor	1/2.7", 8.0 megapixel, progressive scan, CMOS				
Lens	2.8mm@F2.0				
DORI Distance	Lens (mm)	Detect (m)	Observe (m)	Recognize (m)	Identify (m)
	2.8	84.0	33.6	16.8	8.4
Angle Of View (H)	112.4°				
Angle Of View (V)	60.1°				
Angle Of View (O)	146.1°				
Day/Night	IR-cut filter with auto switch (ICR)				
IR Range	Up to 30m (98ft) IR range				
Minimum Illumination	Colour: 0.01Lux (F2.0, AGC ON) 0 Lux with IR on				
IR On/Off Control	Auto/Manual				
WDR	120dB				
Edge Storage	Micro SD, up to 256 GB				
Built-in Mic	Supported (Two-way audio)				

Video	
Video Compression	Ultra 265, H.265, H.264, MJPEG
Video Bit Rate	128 Kbps~16 Mbps
Motion Detection	Up to 4 areas

Image
-------



<b>Camera</b>	
<b>Smart IR</b>	Supported
<b>Dewarping</b>	Supported
<b>Digital Noise Reduction</b>	2D/3D DNR
<b>Flip</b>	Normal/Vertical/Horizontal/180°/90°Clockwise/90°Anti-clockwise

<b>General</b>	
<b>Certifications</b>	CE: EN 60950-1 UL: UL60950-1 FCC: FCC Part 15
<b>IP Rating</b>	IP67
<b>Power</b>	DC 12V±25%, PoE (IEEE 802.3af)
<b>Dimensions (L x W x H)</b>	191x 75 x 74mm (7.5" x 3.0" x 2.9")
<b>Weight</b>	0.41kg (0.90lb)