

# ILLUMIVUE™ BY MSTR

## 5MP 360 Fisheye IP Camera

IP5VD360-IR

SKU: 180084    UPC: 819932013343



Introducing the Illumivue IP5VD360-IR 5MP 360 Fisheye IP Camera, a state-of-the-art surveillance solution that offers panoramic coverage and exceptional image quality. With its advanced technology and versatile design, this camera provides comprehensive security for a wide range of applications.

The IP5VD360-IR boasts a 360-degree fisheye lens, allowing for a panoramic view of your surroundings. With its wide-angle coverage, this camera eliminates blind spots, providing you with a complete and immersive surveillance experience. Monitor an entire room, hallway, or outdoor area without the need for multiple cameras, simplifying your surveillance setup.

Designed with a compact and discrete form factor, the IP5VD360-IR seamlessly blends into any environment. Its unobtrusive design makes it ideal for installations where aesthetics are important. Enjoy comprehensive surveillance without compromising the visual appeal of your space.

With advanced motion detection and intelligent alerts, this camera keeps you informed of any suspicious activity in real-time. Receive instant notifications directly to your smartphone or computer, enabling you to take immediate action when necessary. Additionally, the camera supports remote viewing, allowing you to access live or recorded footage from anywhere in the world through a user-friendly mobile app or web browser interface.

The Illumivue IP5VD360-IR 5MP 360 Fisheye IP Camera is a versatile and powerful security solution. With exceptional image quality, panoramic coverage, enhanced night vision capabilities, and intelligent alerts, this camera provides comprehensive surveillance coverage for a wide range of applications. Invest in the IP5VD360-IR today and experience enhanced visual clarity, comprehensive coverage, and peace of mind for your security needs.

### Features

- 5MP 360° Fisheye IP camera
- 1.4mm @ F2.0 Lens
- 360° field of view
- 120dB true WDR technology enables clear image in strong light scene
- Low Light - 0.01 Lux
- 33ft (10m) IR Range
- Ultra 265, H.265, H.264, MJPEG
- Built-in 2 Mic, Supports the detection of sounds over longer distances
- Alarm: 1 in/1 out, Audio: 1 in/1 out
- Smart IR, up to 10m (33ft) IR distance
- Supports 256 G Micro SD card
- Support PoE power supply
- Onvif Support (Profile S, Profile G, Profile T)
- IK10 vandal resistant
- IP66 protection
- NDAA-Compliant





# Download the Illumivue App

Access, Set-up, and Manage Illumivue surveillance products through your network via iOS, Android or Windows.



Camera					
<b>Sensor</b>	1/2.8", progressive scan, 5.0 megapixel, CMOS				
<b>Lens</b>	1.4mm@F2.0				
<b>Angle of View</b>	360°				
<b>DORI Distance</b>	Lens (mm)	Detect (m)	Observe (m)	Recognize (m)	Identify (m)
	1.4	31.5	12.6	6.3	3.2
<b>Minimum Illumination</b>	Colour: 0.01 Lux (F2.0, AGC ON) 0 Lux with IR				
<b>IR Range</b>	Up to 10m (33ft) IR range				
<b>IR On/Off Control</b>	Auto/Manual				
<b>WDR</b>	120dB				
<b>Edge Storage</b>	Micro SD, up to 256 GB				
<b>Built-in Mic</b>	Supported 2				
<b>Built-in Speaker</b>	N/A				

## Video

<b>Video Compression</b>	Ultra 265, H.265, H.264, MJPEG
<b>Video Bit Rate</b>	128 Kbps ~ 16 Mbps

## Image

<b>Digital Noise Reduction</b>	2D/3D DNR
<b>Smart Illumination</b>	Supported



<b>Camera</b>	
<b>Dewarping</b>	N/A
<b>Flip</b>	Normal/Flip Vertical/ Flip Horizontal/180°
<b>General</b>	
<b>Certifications</b>	FCC CFR 47 Part 15 EN 55032:2015 EN 55024:2010 EN 61000-3-2:2014 EN 61000-3-3-2013  IEC 62368-1 EN 62368-1 UL 62368-1
<b>IP Rating</b>	IP66 IK10
<b>Power</b>	DC12V±25%,PoE (IEEE 802.3af)
<b>Dimensions (? × H)</b>	?125 × 43.7 mm (?4.9" × 1.7")
<b>Weight</b>	0.36kg (0.79lb)